



## OWS-LIOL-D-A/B

### Low Intensity Double Obstruction Light Red

Obstacle light for night time marking of structures that present a hazard to aviation. Red steady burning in night mode.

Incorporates the benefits of advanced LED, optical and system control technologies to meet the most demanding applications.



#### Key Features

- Two years warranty
- Small light fixture
- Compact and Lightweight
- Easy to install
- 100.000 hours design life
- No maintenance required over service life
- Low power consumption
- Long life power supply to match LED life
- Made in The Netherlands

#### Performance characteristics

- Horizontal beam pattern: 360°
- Effective intensity: 10cd / 32cd
- Vertical beam pattern: 8° FWHM
- Both lights on simultaneously

#### Electrical characteristics

- Operating voltage: 12Vdc-48Vdc –100Vac-230Vac
- Power consumption: 2Watt

#### Physical characteristics

- Dimensions: L x W x H: 250x177x118 mm
- Mounting position: see drawing, page 3
- Mounting: 4x Ø10mm (M8)
- Weight: 1.2 kg
- Design degree of protection: IP66
- Operating temperature range: -25 °C/+60 °C
- Supplied with pre-mounted junctionbox
- Outer cable diameter: Ø7-12+/- 0.5 mm



#### Offshore Warning Systems B.V.

Waldammeweg 7D, 4338 PM, Middelburg, The Netherlands.

KVK: 86564234 | VAT: NL864007577B01

www.offshorwarningsystems.com | tel: +31 6 53316982 | mail: info@owsbv.com

V1.0



## Order codes

### Configuration table

ORDER CODE	LIGHT PERFORMANCE		
	DAY	TWILIGHT	NIGHT
OWS-LIOL-D-A	OFF	OFF	10cd steady Red
OWS-LIOL-D-B	OFF	OFF	32cd steady Red



### Offshore Warning Systems B.V.

Waldammeweg 7D, 4338 PM, Middelburg, The Netherlands.

KVK: 86564234 | VAT: NL864007577B01


www.offshorewarningsystems.com | tel: +31 6 53316982 | mail: info@owsbv.com

V1.0



## DRAWING

### General dimensions



### Offshore Warning Systems B.V.

Waldammeweg 7D, 4338 PM, Middelburg, The Netherlands.

KVK: 86564234 | VAT: NL864007577B01

[www.offshorewarningsystems.com](http://www.offshorewarningsystems.com) | tel: +31 6 53316982 | mail: [info@owsbv.com](mailto:info@owsbv.com)

V1.0